


W-Etech Development Co., Limited

UNIT 04, 7/F, BRIGHT WAY TOWER, NO. 33 MONG KOK ROAD, KOWLOON, HK.

Laptop charger Catalog

√ means that model available

/ means no that model



Brand	Compatible Models	Voltage/ Ampere	Power (W)	DC jack size		One shape, 40W&60W&90W, 3 Sizes,Black/white	One shape, 40W&60W, 2 Sizes,	Available for less than 45W, 65W is under developing	One shape, 40W&60W&90W, 3 Sizes,	Multi-case(A板)	Multi-case (B板)
						808 Wallmount case Price(USD)	X40 Wallmount case Price(USD)	Car charger Price(USD)	101 desktop case Price(USD)	Multi-case Price(USD)	Remark
New style Multifunction Power Supply	Available for 5- 20V, 0-65W PC, phone etc	5V-20V	65			√	/	/	/	/	
APPLE		14.5V3.1A	45	T头		√	/	/	/	/	
		14.85V3.05A	45	L头		√	/	/	/	/	
		16.5V3.65A	60	T头		√	/	/	/	/	
		16.5V3.65A	60	L头		√	/	/	/	/	
		18.5V4.6A	85	T头		√	/	/	/	/	
		20V4.25A	85	L头		√	/	/	/	/	
conia W510 W511 W510P W511P (白 色)		12V1.5A	18	扁嘴		√	/	/	/	/	

ACER	W510	12V1.5A	18	8号扁嘴		√	√	√	√	/	Hot sale
	A700 A701 A500	12V1.5A	18	唛克5P		√	√	√	√	/	
ASUS	X205T X205TA E202SA Transformer TP200S TP200SA	19V1.75A	33	方形3P		√	/	√	√	/	Hot sale
	Chromebook C201 C100 C100PA C201PA	12V2A	24	方形3P		√	/	√	√	/	Hot sale
	TX300	19V3.42A	65	扁口		√	/	/	√	/	
	TF101 TF201 TF300 TF700	15V1.2A	18	扁嘴40P		√	√	√	√	/	
	TF600 TF810C TF701t	15V1.2A	18	扁嘴36P		√	√	√	√	/	
	TF600 TF810C TF701t	15V1.2A/5V2A	28	扁嘴36P		/	/	/	/	√	
	TF101 TF201 TF300 TF700	15V1.2A/5V2A	28	扁嘴40P		/	/	/	/	√	
DELL	Streak10 Pro T03G	19V1.58A	30	扁嘴		√	√	√	√	/	Few wires
HP	Pro Tablet 608 G1	5.25V3A	15.6	type-c		√	/	/	/	/	
	ENVY X2	15V1.33A	20	扁嘴		√	√	√	√	/	Lack of wires
	Slate2 Slate500/ HSTNN-DA20 21	19V 1.32A/ 19V1.58A	25/30	7号扁嘴		√	√	√	√	/	
	chrome chromebook	5.25V3A直出线	15.6	micro		√	/	√	/	/	
	chrome chromebook	5.25V3A机线分离	15.6	micro		√	/	/	/	/	
	Ideapad 100S-14 15 Yoga510 710s 310S-14	20V3.25A	65	4.0*1.7		√	/	/	√	/	Hot sale
	Ideapad 100 100s yoga310 yoga510	20V2.25A	45	4.0*1.7		√	√	√	√	/	Hot sale

线紧张

缺线

	chromebook N21 ADLX45DLC3A	20V2.25A	45	3.0*1.0		√	√	√	√	/	
	yoga book	5.2V2A	10.4	micro		√	/	/	/	√	
	ideapad 100S-11IBY MIIX 310-10	5V4A	20	特殊小口		√	/	/	/	/	Hot sale
	yoga3/4 Pro yoga700 900	20V3.25A	65	USB异形口		√	/	/	√	/	Hot sale
	yoga3 Pro 13-5Y70 5Y711	20V2A直出线	40	USB异形口		√	/	√	√	√	Hot sale
	yoga3 Pro 13-5Y70 5Y711	20V2A线壳分离	40	USB异形口		√	/	/	/	/	Hot sale
	yoga3 MIIX2 11	20V2A直出线	40	USB平口		√	/	√	√	√	
	yoga3 MIIX2 11	20V2A线壳分离	40	USB平口		√	/	/	/	/	
	ThinkPad 10	12V3A	36	小方口 7.4*2.8		√	√	√	√	√	
	YE101 Y1001	12V1.5A	18	扁嘴		√	√	√	√	/	
Microsoft	Microsoft	15V6.3A	94.5	小斧头		√	/	/	/	/	
	surface Pro3/4/book 拓展坞电源	15V6A	90	专用接口		√	/	/	/	/	
	surface PRO 3 拓展坞电源	12V4A	48	专用接口		√	/	/	/	/	
	surface PRO 3 拓展坞底座电源	12V5A	60	专用接口		√	/	/	/	√	
	surface book	15V4A	60	DC头灯 自动识别亮/灭		√	√	/	√	/	Hot sale
	surface PRO 4	15V1.6A	24	小斧头		√	√	√	√	/	Hot sale
	surface PRO 3/4	12V2.58A	31	小斧头		√	√	√	√	/	Hot sale
	surface pro R/T 1/2	12V2A/3.6A	43	牙刷头5P		√	√	√	√	/	Hot sale

	surface book	15V4A 5V2A	70	DC头灯 自动识别亮/灭		√	/	/	/	/	
	surface PRO 4	15V1.6A 5V2A	34	DC头灯 自动识别亮/灭		√	/	/	/	/	
	surface PRO 3/4	12V2.58A 5V2A	41	DC头灯 自动识别亮/灭		√	/	/	/	/	
	surface 3	5.2V2.5A直出线	13	micro		√	/	√	/	/	Hot sale
	surface 3	5.2V2.5A机线分离	13	micro		√	/	/	/	/	Hot sale
NOKIA	LUMIA 2520 Verizon 10.1 Tablet	20V1.5A	30	特殊小口		√	√	√	√	/	
SAMSUNG	Galaxy P7500 P5100 P6800 P6200 P3100 P1000 P7510 P1010	5V2A	10	扁嘴30P		√	√	/	/	/	
SONY	SGPAC10V/SGPT111/112CN	10.5V2.9A	30	牙刷头4P		√	√	√	√	/	
	SONY VGP-AC19v74	19.5V2A	40	4.9弯		√	√	√	√	/	
CISCO 思科	CP-PWR-CUBE4 48V 0.917A 8900 9900 8961 IP telephone	48V0.917A	44	7.4*5.0弯头		/	/	/	/	√	
	CISCO router	48V1.5A	72	7.4*5.0弯头		/	/	/	/	√	
Dyson 戴森	DC58 DC59 DC61 DC62 dust collector	26.10V780mA	20	5.5*2.5		/	/	/	/	√	
IROBOT	ROOMBA 770 780 650 595 400 (sweeper)	22.5V1.25A	28	5.5*2.5		/	/	/	/	√	Hot sale
科沃斯	地宝魔镜CR120 sweeper	24V1A	24	5.5*2.5		/	/	/	/	√	
多功能电源（自动识别电压）		9.5V-20V	45	报价不含DC头，详情查看附表2:		/	/	/	/	√	单价不含DC头
		15-20V	65			/	/	/	/	√	
		15V-20V	90			/	/	/	/	√	
		15V-20V	120			/	/	/	/	√	
										A板单价	B板单价
		12V1.5A	18	3.0*1.0		√	√	√	√	√	√
		19V-1.58A	30	5.5*1.7		√	√	√	√	√	√
		19V-2.15A	40	5.5*1.7		√	√	√	√	√	√
		19V-3.16A	60	5.5*1.7		√	√	/	√	√	√

ACER	19V-3.42A	65	5.5*1.7		√	√	/	√	√	√
	19V-3.42A	65	5.5*2.5		√	√	/	√	√	√
	19V-4.74A	90	5.5*1.7		√	/	/	√	√	√
	19V-4.74A	90	5.5*2.5		√	/	/	√	√	√
	19V-6.3A	120	5.5*2.5		/	/	/	/	√	
	19V-7.1A	135	5.5*2.5		/	/	/	/	√	
	19V-7.9A	150	5.5*2.5		/	/	/	/	√	
ASUS	9.5V-2.315A	50	4.8*1.7		√	√	√	√	√	√
	12V-3A	36	4.8*1.7		√	√	√	√	√	√
	19V1.75A	33	4.0*1.35		√	√	√	√	√	√
	19V2.1A	40	2.5*0.7		√	√	√	√	√	√
	19V2.37A	45	3.0*1.0		√	√	√	√	√	√
	19V3.42A	65	5.5*2.5		√	√	/	√	√	√
	19V3.42A	65	4.0*1.35		√	√	/	√	√	√
	19V3.42A	65	4.5*3.0		√	√	/	√	√	√
	19V4.74A	90	4.5*3.0		√	/	/	√	√	√
19V4.74A	90	5.5*2.5		√	/	/	√	√	√	
DELL	19V-1.58A	30	5.5*1.7		√	√	√	√	√	√
	19.5V2.31A	45	7.4*5.0		√	√	√	√	√	√
	19.5V2.31A	45	4.5*3.0		√	√	√	√	√	√
	19.5V-3.34A	65	4.0*1.7 bullet		√	√	/	√	√	√
	19.5V-3.34A	65	Octagonal		√	√	/	√	√	√
	19.5V-3.34A	65	7.4*5.0		√	√	/	√	√	√
	19.5V-3.34A	65	4.5*3.0		√	√	/	√	√	√
	19.5V-3.34A Silm	65	7.4*5.0		/	/	/	/	√	√
	19.5V-4.62A	90	7.4*5.0		√	/	/	√	√	√
	19.5V-4.62A	90	4.5*3.0		√	/	/	√	√	√
	19.5V-4.62A	90	4.0*1.7 bullet		√	/	/	√	√	√
	19.5V-4.62A Silm	90	7.4*5.0		/	/	/	/	√	√
	20V-3.5A	70	3 pins		/	/	/	√	√	√
	20V-4.5A	90	3 pins		/	/	/	√	√	√
	19.5V-6.7A	130	7.4*5.0		/	/	/	/	√	
19.5V-7.7A	150	7.4*5.0		/	/	/	/	√		
	19V1.58A	30	4.0*1.7		√	√	√	√	√	√
	19.5V2.05A	40	4.0*1.7 bullet		√	√	√	√	√	√
	19.5V2.31A	45	4.5*3.0		√	√	√	√	√	√
	18.5V-3.5A	65	7.4*5.0		√	√	/	√	√	√

HP	18.5V-3.5A	65	4.8*1.7		√	√	/	√	√	√
	19V-3.16A	60	5.5*2.5		√	√	/	√	√	√
	19.5V3.33A	65	4.8*1.7 long		√	√	/	√	√	√
	19.5V3.33A	65	4.5*3.0		√	√	/	√	√	√
	18.5V-4.9A	90	4.8*1.7 bullet		√	/	/	√	√	√
	19V-4.74A	90	4.8*1.7 bullet		√	/	/	√	√	√
	19V-4.74A	90	5.5*2.5		√	/	/	√	√	√
	18.5V-4.9A	90	7.4*5.0		√	/	/	√	√	√
	19V-4.74A	90	7.4*5.0		√	/	/	√	√	√
	19.5V4.62A	90	4.5*3.0		√	/	/	√	√	√
	18.5V-6.5A	120	5.5*2.5		/	/	/	/	√	
	18.5V-6.5A	120	7.4*5.0		/	/	/	/	√	
IBM/LENOVO	20V-2A	40	5.5*2.5		√	√	√	√	√	√
	16V-3.36A	60	5.5*2.5		√	√	/	√	√	√
	16V-3.5A	60	5.5*2.5		√	√	/	√	√	√
	16V-4.5A	72	5.5*2.5		√	√	/	√	√	√
	20V-3.25A	65	7.9*5.5		√	√	/	√	√	√
	20V-2.25A	45	方口		√	√	/	√	√	√
	20V-3.25A	65	方口		√	√	/	√	√	√
	20V-4.5A	90	7.9*5.5		√	/	/	√	√	√
	20V-4.5A	90	方口		√	/	/	√	√	√
19V-4.2A	80	5.5*2.5		√	/	/	√	√	√	
SAMSUNG	12V3.33A	40	2.5*0.7		√	√	√	√	√	√
	19V2.1A	40	3.0*1.0		√	√	√	√	√	√
	19V2.1A	40	5.5*3.0		√	√	√	√	√	√
	14V-3A	42	6.0*4.4		√	√	/	√	√	√
	14V-4A	56	6.0*4.4		√	√	/	√	√	√
	19V-3.15A	60	5.5*3.0		√	√	/	√	√	√
	19V-3.16A	60	5.5*3.0		√	√	/	√	√	√
	19V-4.22A	90	5.5*3.0		√	/	/	√	√	√
	19V-4.74A	80	5.5*2.5		√	/	/	√	√	√
SONY	19.5V-2.015A	45	6.0*4.4		√	√	√	√	√	√
	16V-4A	65	6.0*4.4		√	√	/	√	√	√
	19.5V-3A	60	6.0*4.4		√	√	/	√	√	√
	19.5V-3.3A	65	6.0*4.4		√	√	/	√	√	√
	19.5V-3.9A	76	6.0*4.4		√	/	/	√	√	√
	19.5V-4.1A	80	6.0*4.4		√	/	/	√	√	√
	19.5V-4.7A	90	6.0*4.4		√	/	/	√	√	√

	19.5V-5.13A	100	6.0*4.4		/	/	/	/	√	
	19.5V-6.15A	120	6.0*4.4		/	/	/	/	√	
TOSHIBA	19V1.58A	30	5.5*2.5		√	√	√	√	√	√
	19V2.37A	45	5.5*2.5		√	√	√	√	√	√
	15V-3A	45	6.3*3.0		√	√	/	√	√	√
	15V-4A	60	6.3*3.0		√	√	/	√	√	√
	19V-3.42A	60	5.5*2.5		√	√	/	√	√	√
	15V-5A	75	6.3*3.0		√	/	/	√	√	√
	15V-6A	90	6.3*3.0		√	/	/	√	√	√
	19V-4.74A	90	5.5*2.5		√	/	/	√	√	√
	15V-8A	120	6.3*3.0		/	/	/	/	√	
	15V-8A	120	4 pins		/	/	/	/	√	
	19V-6.3A	120	6.3*3.0		/	/	/	/	√	
	19V-6.3A	120	5.5*2.5		/	/	/	/	√	
12V/24V	12V-2A	24	5.5*2.5		√	√	√	√	√	
	12V-3A	36	5.5*2.5		√	√	√	√	√	
	12V-4A	48	5.5*2.5		√	√	/	√	√	
	12V-4A	48	4PIN		√	√	/	√	√	
	12V-5A	60	5.5*2.5		√	/	/	√	√	
	12V-6A	72	5.5*2.5		√	/	/	√	√	
	12V-8A	96	5.5*2.5		/	/	/	/	√	
	12V-10A	120	5.5*2.5		/	/	/	/	√	
	24V2A	48W	5.5*2.5		√	√	/	√	√	
	24V2A	48W	3PIN		√	√	/	√	√	
	24V5A	120W	5.5*2.5		/	/	/	/	√	
	24V5A	120W	3PIN		/	/	/	/	√	